Author index

Adami H-O *see* Kuper H
Agardh C-D *see* Henriksson F
Ahnve S *see* Gabriel AS
Alfredsson L *see* Rosén M
Altinbas A, Aytemur K, Thokgözoglu L, Öztürk M, Kosar A, Haznedaroglu IC, Kirazli S & Dündar SV. Hyperhomocysteinaemia and activated protein C resistance in Behcet's disease, 267 (Letter to the Editor)
Andersen PE *see* Kjeldsen AD
Andersson C *see* Wikberg A
Andersson C, Wikberg A, Stegmayr B & Lithner F. Renal symptomatology in patients with acute intermittent porphyria. A population-based study, 319
Andersson I *see* Näslund E
Ansari BM *see* Evans PMS
Apelqvist J *see* Ragnarson Tennvall G
Arildsen H *see* May O
Arisz L *see* Kemperman FAW
Arvanitidis K *see* Ritis K
Asola M *see* Laaksonen S
Aune S *see* Herlitz J
Aytemur K *see* Altinbas A

Banga J-D *see* van der Griend R
Baz M *see* Stern N
Beevers DG *see* Lip GYH
Beguin C *see* Pieters T
Bender R *see* Mühlhauser I
Berckmans RJ *see* Doggen CJM
Berger M *see* Mühlhauser I
Bergfeldt L *see* Nowinski K
Berglund G *see* Nilsson P
Bergstrand L *see* Strandberg L-E
Berne C *see* Henriksson F
Bianchi Porro G *see* Parente F
Biesma DH *see* van der Griend R
Björklund K, Lind L & Lithell H. Twenty-four hour ambulatory blood pressure in a population of elderly men, 501
Björkstrand B *see* Gahrton G
Björntorp P *see* Rosmond R
Blank M *see* Mühlhauser I
Blann AD *see* Lip GYH
Bodemar G *see* Ragnarssson G
Bodmer T *see* Krebs T
Boffetta P. Molecular epidemiology, 447 (Internal Medicine in the 21st Century)
Boissel JP *see* Pinede L
Boland B *see* Pieters T
Bolinder J *see* Henriksson F
Boman G *see* Elmasry A
Boman K *see* Öhgren B
Bondjers G *see* Hulthe J
Bonneux L *see* Moerman CJ
Bouchard C *see* Rosmond R
Bouchard C *see* Ukkola O
Bravenboer B *see* Hermans MMH
Britton M *see* Rödén-Jüllig Å
Buytenhek R *see* de Roos B
Bång A *see* Herlitz J

Campfield LA *see* Ukkola O
Carlsson S *see* Persson P-G
Chagnon M *see* Rosmond R
Chagnon YC *see* Ukkola O
Chuganji Y *see* Fujita H
Claudi T, Midthjell K, Holmen J, Fougner K, Krüger Ø & Wiseth R. Cardiovascular disease and risk factors in people with type 2 diabetes diagnosed in a large population screening: The Nord-Trøndelag Study, Norway, 492
Cohen J & Schattner A. Reply, 169 (Letter to the Editor)
Cucherat M *see* Pinede L

Damsgaard EM *see* May O
Danielsson Å *see* Uddenfeldt P
Davidsen B *see* Madsen SM
de Groot MR *see* Kater AP
de Roos B, van Tol A, Urgert R, Scheek LM, van Gent T, Buytenhek R, Princen HMG & Katan MB. Consumption of French-press coffee raises cholesteryl ester transfer protein activity levels before LDL cholesterol in normolipidaemic subjects, 211
Degerblad M *see* Näslund E
Després J-P *see* Ukkola O
Doggen CJM, Berckmans RJ, Sturk A, Manger Cats V & Rosendaal F. C-reactive protein, cardiovascular risk factors and the association with myocardial infarction in men, 406
Duhaut P *see* Pinede L
Duran M *see* van der Griend R
Dzien A *see* Lechleitner M
Dündar SV *see* Altinbas A

Efendic S *see* Persson P-G
Egermayer P. Long-term anticoagulation therapy?, 532 (Letter to the Editor)
Ekström L *see* Herlitz J
Elmalem E. Nimesulide, clavulanic acid and hepatitis, 168 (Letter to the Editor)
Elmasry A, Janson C, Lindberg E, Gislason T, Tageldin MA & Boman G. The role of habitual snoring and obesity in the development of diabetes: a 10-year follow-up study in a male population, 13
Endo A *see* Kato M
Eneroth M *see* Ragnarson Tennvall G
Engström G, Göransson M, Hansen O, Hedblad B, Tydén P, Tödt T & Janzon L. Trends in long-term survival after myocardial infarction. Less favourable patterns for patients from deprived areas, 425
Ericsson C-G *see* Strandberg L-E
Eriksson J *see* Forsén T
Erkinjuntti M *see* Laaksonen S
Evans PMS, Ansari BM & Page MD. Alström's syndrome with Kleinfelter's karyotype, 89 (Letter to the Editor)

Faber JAJ *see* van der Griend R
Falck B *see* Laaksonen S
Fitschen J *see* Ziegenhagen MW
Flatau E *see* Stern N
Forsén T, Eriksson J, Qiao Q, Tervahauta M, Nissinen A & Tuomilehto J. Short stature and coronary heart disease: a 35-year follow-up of the Finnish cohorts of The Seven Countries Study, 326
Fougner K *see* Claudi T
Frans A *see* Pieters T
Fujita H, Momoi M, Chuganji Y & Tomiyama J. Increased plasma vascular endothelial growth factor levels in patients with angiodysplasia, 268 (Letter to the Editor)

Gabriel AS, Ahnve S, Wretlind B & Martinsson A. IL-6 and IL-1 receptor antagonist in stable angina pectoris and relation of IL-6 to clinical findings in acute myocardial infarction, 61
Gahrton G & Björkstrand B. Progress in haematopoietic stem cell

© 2000 Blackwell Science Ltd

transplantation for multiple myeloma. 185 (Review)
Gislason T *see* Elmasry A
Gorgels J *see* Kemperman FAW
Green A *see* Kjeldsen AD
Greenman Y *see* Stern N
Greiser E *see* Herman B
Grill V *see* Persson P-G
Grosskopf I *see* Stern N
Göransson M *see* Engström G

Haas FJLM *see* van der Griend R
Hallmans G *see* Öhgren B
Hammar N *see* Rosén M
Hansen O *see* Engström G
Haznedaroglu IC *see* Altinbas A
Hedblad B *see* Engström G
Hellström PM *see* Näslund E
Henriksson F, Agardh C-D, Berne C, Bolinder J, Lönnqvist F, Stenström P, Östenson C-G & Jönsson B. Direct medical costs for patients with type 2 diabetes in Sweden. 387
Herlitz J *see* Ågård A
Herlitz J, Bång A, Ekström L, Aune S, Lundström G, Holmberg S, Holmberg M & Lindqvist J. A comparison between patients suffering in-hospital and out-of-hospital cardiac arrest in terms of treatment and outcome. 53
Herman B & Greiser E Are acute myocardial infarctions becoming smaller?. 353 (Letter to the Editor)
Hermans MMH, Lips CJM & Bravenboer B. Growth hormone overproduction in a patient with multiple endocrine neoplasia type I. 525 (Case Report)
Hermerén G *see* Ågård A
Herold M *see* Lechleitner M
Hisatome I *see* Kato M
Hjermann I *see* Tonstad S
Holm S *see* Madsen SM
Holmberg M *see* Herlitz J
Holmberg S *see* Herlitz J
Holmen J *see* Claudi T
Hope T *see* Parker M
Hoppichler F *see* Lechleitner M
Hori A *see* Tanaka S
Hulthe J, Wiklund O, Bondjers G & Wikstrand J. LDL particle size in relation to intima-media thickness and plaque occurrence in the carotid and femoral arteries in patients with hypercholesterolaemia. 42
Hämelahti P *see* Voutilainen S

Igawa O *see* Kato M
Isaacov A *see* Stern N

Janson C *see* Elmasry A
Janzon L *see* Engström G
Jensen S *see* Nowinski K
Jönsson B *see* Henriksson F

Kahan T *see* Rosén M
Kaikkonen J *see* Salonen JT
Kartali S *see* Ritis K
Katan MB *see* de Roos B
Kater AP, Westermann AM, de Groot MR, von dem Borne AEGKr & Kuijper EJ. Toxin-mediated haemolytic uraemic syndrome without diarrhoea. 263 (Case Report)
Kato M, Kinugawa T, Ogino K, Endo A, Osaki S, Igawa O, Hisatome I & Shigemasa C. Augmented response in plasma brain natriuretic peptide to dynamic exercise in patients with left ventricular dysfunction and congestive heart failure. 309
Katori H *see* Tanaka S
Kauma H *see* Rantala AO
Kawanami D *see* Tanaka S
Kemperman FAW, Weber JA, Gorgels J, van Zanten AP, Krediet RT & Arisz L. The influence of ketoacids on plasma creatinine assays in diabetic ketoacidosis. 511
Kesäniemi YA *see* Rantala AO
Kinugawa T *see* Kato M
Kirazli S *see* Altinbas A
Kisch E *see* Stern N
Kjeldsen AD, Oxhøj H, Andersen PE, Green A & Vase P. Prevalence of pulmonary arteriovenous malformations (PAVMs) and occurrence of neurological symptoms in patients with hereditary haemorrhagic telangiectasia (HHT). 255
Kobayashi T *see* Tanaka S
Koch T *see* Lechleitner M
Kogner P *see* Näslund E
Kontogianni DD *see* Zakynthinos EG
Kontula K *see* Lakka H-M
Kosar A *see* Altinbas A
Kral JG *see* Näslund E
Krebs T, Zimmerli S, Bodmer T & Lämmle B. *Mycobacterium genavense* infection in a patient with long-standing chronic lymphocytic leukaemia. 343 (Case Report)
Krediet RT *see* Kemperman FAW
Krüger Ø *see* Claudi T
Kuijper EJ *see* Kater AP
Kuper H, Adami H-O & Trichopoulos D. Infections as a major preventable cause of human cancer. 171 (Internal Medicine in the 21st Century)

Laaksonen S, Voipio-Pulkki L-M, Erkinjuntti M, Asola M & Falck B. Does dialysis therapy improve autonomic and peripheral nervous system abnormalities in chronic uraemia?. 21
Lakka H-M *see* Salonen JT
Lakka H-M, Oksanen L, Tuomainen T-P, Kontula K & Salonen JT. The common pentanucleotide polymorphism of the 3′-untranslated region of the leptin receptor gene is associated with serum insulin levels and the risk of type 2 diabetes in non-diabetic men: a prospective case–control study. 77
Lakka TA *see* Salonen JT
Lakka TA *see* Voutilainen S
Lambert M *see* Pieters T
Landegren U. Consulting the source code: prospects for gene-based medical diagnostics. 271 (Internal Medicine in the 21st Century)
Landray MJ *see* Lip GYH
Lapatto-Reiniluoto O, Vaalamo M, Takkunen O & Mänttäri M. Left ventricular calcification following resuscitation. 85 (Case Report)
Lechi A *see* Pancera P
Lechleitner M, Koch T, Herold M, Dzien A & Hoppichler F. Tumour necrosis factor-alpha plasma level in patients with type 1 diabetes mellitus and its association with glycaemic control and cardiovascular risk factors. 67
Lehtimäki T *see* Voutilainen S
Leshem Y *see* Stern N
Leskinen L *see* Salonen JT
Lilja M *see* Rantala AO
Limor R *see* Stern N
Lind L *see* Björklund K
Lindberg E *see* Elmasry A
Lindgärde F, On Behalf Of The Orlistat Swedish Multimorbidity Study Group. The effect of orlistat on body weight and coronary heart disease risk profile in obese patients: The Swedish Multimorbidity Study. 245
Lindqvist J *see* Herlitz J
Lip GYH, Blann AD & Beevers DG. *Helicobacter pylori* seroposivity, lipid concentrations and haemostatic factors. 355 (Letter to the Editor)
Lip GYH, Lydakis C, Nuttall SL, Landray MJ, Watson RDS & Blann AD. A pilot study of streptokinase-induced endothelial injury

and platelet activation following acute myocardial infarction. 316
Lips CJM *see* Hermans MMH
Lithell H *see* Björklund K
Lithner F *see* Andersson C
Lithner F *see* Wikberg A
Lundahl G *see* Nowinski K
Lundin P *see* Strandberg L-E
Lundström G *see* Herlitz J
Lydakis C *see* Lip GYH
Lämmle B *see* Krebs T
Lönnqvist F *see* Henriksson F

Madsen SM, Holm S, Davidsen B, Munkholm P, Schlichting P & Riis P. Ethical aspects of clinical trials: the attitudes of participants in two non-cancer trials. 463
Manger Cats V *see* Doggen CJM
Martinet N *see* Ziegenhagen MW
Martinsson A *see* Gabriel AS
May O, Arildsen H, Damsgaard EM & Mickley H. Cardiovascular autonomic neuropathy in insulin-dependent diabetes mellitus: prevalence and estimated risk of coronary heart disease in the general population. 483
Meuwissen OJATh *see* van der Griend R
Mickley H *see* May O
Midthjell K *see* Claudi T
Miller A *see* Stern N
Moerman CJ, van Hout BA, Bonneux L & Witteman JCM. Postmenopausal hormone therapy: less favourable risk–benefit ratios in healthy Dutch women. 143
Momoi M *see* Fujita H
Munkholm P *see* Madsen SM
Murase T *see* Tanaka S
Mänttäri M *see* Lapatto-Reiniluoto O
Mühlhauser I, Sawicki PT, Blank M, Overmann H, Bender R & Berger M. Prognosis of persons with type 1 diabetes on intensified insulin therapy in relation to nephropathy. 333
Müller-Quernheim J *see* Ziegenhagen MW

Nakanishi K *see* Tanaka S
Nielsen NE, Siegbahn A & Swahn E. Markers of hypercoagulation and von Willebrand factor in postmenopausal women with unstable coronary artery disease. Discriminatory ability regarding unstable coronary artery disease and coronary atherosclerosis using receiver operating characteristics. 151
Nilsson P & Berglund G. Prevention of cardiovascular disease and diabetes: lessons from the Malmö Preventive Project. 455 (Review)
Ninet J *see* Pinede L
Nissinen A *see* Forsén T
Nowinski K, Jensen S, Lundahl G & Bergfeldt L. Changes in ventricular repolarization during percutaneous transluminal coronary angioplasty in humans assessed by the QT interval, QT dispersion and T vector loop morphology. 126
Nuttall SL *see* Lip GYH
Nyyssönen K *see* Salonen JT
Näslund E, Andersson I, Degerblad M, Kogner P, Kral JG, Rössner S & Hellström PM. Associations of leptin, insulin resistance and thyroid function with long-term weight loss in dieting obese men. 299

O'Konor M-L *see* Strandberg L-E
Ogino K *see* Kato M
Oksanen L *see* Lakka H-M
Okubo M *see* Tanaka S
Orlistat Swedish Multimorbidity Study Group *see* Lindgärde F
Osaki S *see* Kato M
Overmann H *see* Mühlhauser I
Oxhøj H *see* Kjeldsen AD

Page MD *see* Evans PMS
Pancera P, Ribul M, Presciuttini B & Lechi A. Prevalence of carotid artery kinking in 590 consecutive subjects evaluated by Echocolordoppler. Is there a correlation with arterial hypertension?. 7
Papadopoulos E *see* Ritis K
Parente F & Bianchi Porro G. Reply. 356 (Letter to the Editor)
Parker M & Hope T. Medical ethics in the 21st century. 1 (Internal Medicine in the 21st Century)
Pasquier J *see* Pinede L
Persson P-G, Carlsson S, Svanström L, Östenson C-G, Efendic S & Grill V. Cigarette smoking, oral moist snuff use and glucose intolerance. 103
Pieters T, Boland B, Beguin C, Veriter C, Stanescu D, Frans A & Lambert M. Lung function study and diffusion capacity in anorexia nervosa. 137
Pinede L, Duhaut P, Cucherat M, Ninet J, Pasquier J & Boissel JP. Reply. 532 (Letter to the Editor)
Porkkala-Sarataho E *see* Salonen JT
Poulsen HE *see* Salonen JT
Poulsen HE *see* Voutilainen S
Presciuttini B *see* Pancera P
Princen HMG *see* de Roos B

Qiao Q *see* Forsén T

Ragnarson Tennvall G, Apelqvist J & Eneroth M. The inpatient care of patients with diabetes mellitus and foot ulcers. A validation study of the correspondence between medical records and the Swedish Inpatient Registry with the consequences for cost estimations. 397
Ragnarssson G & Bodemar G. Treatment of irritable bowel syndrome with loperamide oxide. An open study to determine optimal dosage. 165 (Letter to the Editor)
Rantala AO, Lilja M, Kauma H, Savolainen MJ, Reunanen A & Kesäniemi YA. Gamma-glutamyl transpeptidase and the metabolic syndrome. 230
Rasmanis G & Sylvén C. Tirofiban counteracts pending myocardial infarction. 349 (Letter to the Editor)
Rees LH. Medical education in the new millennium. 95 (Internal Medicine in the 21st Century)
Rehnqvist N *see* Strandberg L-E
Reunanen A *see* Rantala AO
Ribul M *see* Pancera P
Riis P. Life and death – figures versus emotions. 277 (Editorial)
Riis P *see* Madsen SM
Rissanen T *see* Salonen JT
Ristonmaa U *see* Salonen JT
Ritis K, Tzoanopoulos D, Speletas M, Papadopoulos E, Arvanitidis K, Kartali S & Sideras P. Amplification of IS6110 sequence for detection of *Mycobacterium tuberculosis* complex in HIV-negative patients with fever of unknown origin (FUO) and evidence of extrapulmonary disease. 415
Rosén M, Alfredsson L, Hammar N, Kahan T, Spetz C-L & Ysberg A-S. Attack rate, mortality and case fatality for acute myocardial infarction in Sweden during 1987–95. Results from the National AMI Regiester in Sweden. 159
Rosendaal F *see* Doggen CJM
Rosmond R, Ukkola O, Chagnon M, Bouchard C & Björntorp P. Polymorphisms of the b2-adrenergic receptor gene (ADRB2) in relation to cardiovascular risk factors in men. 239
Roussos C *see* Zakynthinos EG
Rödén-Jüllig A & Britton M Effectiveness of heparin treatment for progressing ischaemic stroke: before and after study. 287
Rössner S *see* Näslund E

Salonen J.T *see* Lakka H-M
Salonen JT *see* Voutilainen S
Salonen JT, Nyyssönen K, Salonen R, Lakka H-M, Kaikkonen J,

Porkkala-Sarataho E, Voutilainen S, Lakka TA, Rissanen T, Leskinen L, Tuomainen T-P, Valkonen V-P, Ristonmaa U & Poulsen HE. Antioxidant Supplementation in Atherosclerotic Prevention (ASAP) study: a randomized trial of the effect of vitamins E and C on 3-year progression of carotid atherosclerosis, 377
Salonen R *see* Salonen JT
Savolainen MJ *see* Rantala AO
Sawicki PT *see* Mühlhauser I
Schattner A *see* Cohen J
Scheek LM *see* de Roos B
Schlaak M *see* Ziegenhagen MW
Schlichting P *see* Madsen SM
Schulman S. Study patients and routine practice patients, 531 (Letter to the Editor)
Shapira I *see* Stern N
Shigemasa C *see* Kato M
Sideras P *see* Ritis K
Siegbahn A *see* Nielsen NE
Speletas M *see* Ritis K
Spetz C-L *see* Rosén M
Stanescu D *see* Pieters T
Stegmayr B *see* Andersson C
Stegmayr B *see* Öhgren B
Stenström P *see* Henriksson F
Stern N, Grosskopf I, Shapira I, Kisch E, Isaacov A, Limor R, Baz M, Leshem Y, Flatau E, Miller A & Greenman Y. Risk factor clustering in hypertensive patients: impact of the reports of NCEP-II and second joint task force on coronary prevention on JNC-VI guidelines, 203
Strandberg L-E, Ericsson C-G, O'Konor M-L, Bergstrand L, Lundin P, Rehnqvist N & Tornvall P. Diabetes mellitus is a strong negative prognostic factor in patients with myocardial infarction treated with thrombolytic therapy, 119
Sturk A *see* Doggen CJM
Svanström L *see* Persson P-G
Swahn E *see* Nielsen NE
Sylvén C *see* Rasmanis G

Tageldin MA *see* Elmasry A
Takkunen O *see* Lapatto-Reiniluoto O
Tanaka S, Kobayashi T, Kawanami D, Hori A, Okubo M, Nakanishi K, Katori H & Murase T. Paradoxical glucose infusion for hypernatraemia in diabetic hyperglycaemic hyperosmolar syndrome, 166 (Letter to the Editor)
Terenius L. Patients' satisfaction in clinical trials, 441 (Editorial)
Tervahauta M *see* Forsén T
Tokgözoglu L *see* Altinbas A
Tomiyama J *see* Fujita H
Tonstad S & Hjermann I. Cardiovascular risk factors and testing of relatives amongst patients with familial hyperlipidaemia one decade after a clinical trial, 111
Tornvall P *see* Strandberg L-E
Tremblay A *see* Ukkola O
Trichopoulos D *see* Kuper H
Tuomainen T-P *see* Lakka H-M
Tuomainen T-P *see* Salonen JT
Tuomilehto J *see* Forsén T
Tydén P *see* Engström G
Tzoanopoulos D *see* Ritis K
Tödt T *see* Engström G

Uddenfeldt P & Danielsson Å. Primary biliary cirrhosis: survival of a cohort followed for 10 years, 292
Ukkola O *see* Rosmond R
Ukkola O, Tremblay A, Després J-P, Chagnon YC, Camplield LA & Bouchard C. Leptin receptor Gln223Arg variant is associated with a cluster of metabolic abnormalities in response to long-term overfeeding, 435
Urgert R *see* de Roos B
Urquhart J. Controlled drug delivery: therapeutic and pharmacological aspects, 357 (Internal Medicine in the 21st Century)

Vaalamo M *see* Lapatto-Reiniluoto O
Valkonen V-P *see* Salonen JT
van der Griend R, Biesma DH, Haas FJLM, Faber JAJ, Duran M, Meuwissen OJATh & Banga J-D. The effect of different treatment regimens in reducing fasting and postmethionine-load homocysteine concentrations, 223
van Gent T *see* de Roos B
van Hout BA *see* Moerman CJ
van Tol A *see* de Roos B
van Zanten AP *see* Kemperman FAW
Vase P *see* Kjeldsen AD
Vassilakopolous T *see* Zakynthinos EG
Veriter C *see* Pieters T
Voipio-Pulkki L-M *see* Laaksonen S
von dem Borne AEGKr *see* Kater AP
Voutilainen S *see* Salonen JT
Voutilainen S, Lakka TA, Hämelahti P, Lehtimäki T, Poulsen HE & Salonen JT. Plasma total homocysteine concentration and the risk of acute coronary events: the Kuopio Ischaemic Heart Disease Risk Factor Study, 217

Wall S *see* Öhgren B
Watson RDS *see* Lip GYH
Weatherall DJ. Medicine in the new millenium, 443 (Internal Medicine in the 21st Century: Editorial)
Weber JA *see* Kemperman FAW
Weinehall L *see* Öhgren B
Westermann AM *see* Kater AP
Wikberg A *see* Andersson C
Wikberg A, Andersson C & Lithner F. Signs of neuropathy in the lower legs and feet of patients with acute intermittent porphyria, 27
Wiklund O *see* Hulthe J
Wikstrand J *see* Hulthe J
Wiseth R *see* Claudi T
Witteman JCM *see* Moerman CJ
Wretlind B *see* Gabriel AS

Ysberg A-S *see* Rosén M

Zakynthinos EG, Vassilakopolous T, Kontogianni DD, Roussos C & Zakynthinos SG. A role for transoesophageal echocardiography in the early diagnosis of catastrophic antiphospholipid syndrome, 519 (Case Report)
Zakynthinos SG *see* Zakynthinos EG
Ziegenhagen MW, Fitschen J, Martinet N, Schlaak M & Müller-Quernheim J. Serum level of soluble tumour necrosis factor receptor II (75 kDa) indicates inflammatory activity of sarcoidosis, 33
Zimmerli S *see* Krebs T

Ågård A, Hermerén G & Herlitz J. Should cardiopulmonary resuscitation be performed on patients with heart failure? The role of the patient in the decision-making process, 279

Öhgren B, Weinehall L, Stegmayr B, Boman K, Hallmans G & Wall S. What else adds to hypertension in predicting stroke? An incident case–referent study, 475
Östenson C-G *see* Henriksson F
Östenson C-G *see* Persson P-G
Öztürk M *see* Altinbas A

Journal of Internal Medicine 2000; **248**: 539–540

Keyword index

21st Century, 1

acetoacetates, 511
acute coronary events, 217
acute intermittent porphyria, 27, 319
acute myocardial infarction, 61, 159
administrative database, 397
aetiology, 171
aged, 499
alcohol, 453
allogeneic bone marrow transplantation, 185
allogeneic peripheral blood stem cell transplantation, 185
angina pectoris, 61
angioplasty, 126
anorexia nervosa, 137
antiobesity agents, 245
antioxidants, 377
antiphospholipid antibodies, 519
arterial hypertension, 7
atherosclerosis, 377
attack rate, 159
attitudes, 279
autnomic nervous system, 21
autologous hematopoietic stem cell transplantation, 185
autonomic neuropathy, 481

β2-adrenergic receptor gene, 239
B-cell chronic lymphocytic leukaemia, 343
behaviour modification, 299
bias, 447
biomarkers, 447
blood pressure, 239
blood presure monitoring (ambulatory), 501
B-mode ultrasonography, 377
body fat distribution, 239
brain natriuretic peptide, 309
breast neoplasms, 143

cafestol, 211
calcification, 85
cancer, 171
cardiac arrest, 53
cardioascular diseases, 245
cardiomyopathy, 85
cardiopulmonary exercise test, 309
cardiopulmonary resuscitation, 279
cardiovascular, 455
cardiovascular diseases, 490
cardiovascular risk factors, 67, 203, 479
carotid arteriolsclerosis, 7
case fatality, 159
case–control study, 77
catastrophic antiphospholipid syndrome, 519
catecholamines, 85
causes of death, 333
change, 95
cigarettes, 103
clinical randomized trials, 377
clinical trial, 111
coagulation, 151
complications, 387
confounding, 447
congestive heart failure, 309
coronary atherosclerosis, 151
coronary heart disease, 143, 326
cost, 397
cost drivers, 387
cost-of-illness, 387
C-reactive protein, 406
creatinine, 511
cytokines, 61

decision-making, 279
diabetes mellitus, 13, 119, 483
diabetes mellitus type 1, 67
diabetes mellitus type 2, 492
diabetic ketoacidosis, 511
diagnosis codes, 397
dialysis, 21
diffusion capacity, 137
direct medical costs, 387
discharges, 397
disease activity, 33
DNA amplification, 271
drug delivery systems, 357
drug therapy, 245
dyslipidaemia, 203

electrocardiography, 126
emphysema, 137
endothelial damage, 316
epidemiological study, 103
epidemiology, 13
Escherichia coli, 263
ethics, 279
evidence, 455

familial hyperlipidaemia, 111
fever of unknown origin, 415
folic acid, 223
French-press coffee, 211

gamma-glutamyl transpeptidase activity, 230
gastroretentive delivery systems, 357
gene diagnostics, 271
gene ethics, 271
genetic epidemiology, 77
genetic prediction, 271
genetics, 1
globalization, 1
glucose, 435
glucose intolerance, 103
growth hormone, 525

haemolytic uraemic syndrome, 263
HDL cholesterol, 203
health care systems, 95
heart failure, 279
heart rate variability, 21
heparin, 287
hepatocellular carcinoma, 292
hereditary haemorraghic telangiectasia, 255
hip fractures, 143
HIV-seronegative, 343
HMG-CoA reductase inhibitors, 111
homocysteine, 217, 223
hormone replacement therapy, 143
hydroxybutyrates, 511
hypercholesterolaemia, 42
hyperhomocysteine, 223
hypertension, 203, 230, 455, 501

implants, 357
incident case–referent study, 475
infections, 171
inflammation, 61
inflammation marker, 406
in-hospital, 53
insulin, 299, 435
intensified insulin therapy, 333
interaction, 475
intima–media thickness, 42
IS6110 insertion element, 415
ischemia, 126

kahweol, 211
ketones, 511
kinking, 7

late complications, 333
LDL cholesterol, 203
LDL particle size, 42
left ventricular dysfunction, 309
leptin, 299
leptin receptor, 77
leptin receptor gene, 435
Libman–Sacks endocarditis, 519
life expectancy, 1
lipids, 435, 455
liver transplantation, 292
long-term survival, 425

malnutrition, 137
mass screening, 492
medical education, 95
medical ethics, 1, 463
medical records, 397
men, 239
MEN-I, 525
metabolic syndrome, 230
metabolism, 239
methionine loading test, 223

© 2000 Blackwell Science Ltd

middle age, 143
models: theoretical, 143
molecular epidemiology, 447, 77
mortality, 159, 292, 333
multi-organ failure, 519
multiple myeloma, 185
mutation detection, 271
Mycobacterium genavense, 343
Mycobacterium tuberculosis, 415
myocardial infarction, 119, 217, 316, 406, 425

neurology, 255
neuropathy, 27
normolipidaemic subjects, 211

obesity, 13, 245, 299
osmotic pumps, 357
outcome, 287
out-of-hospital, 53
overfeeding, 435

patient autonomy, 279
patient compliance, 357
patient recruitment, 463
platelets, 316
polymerase chain reaction, 415
polymorphism, 239, 435
polyneuropathy, 21
population, 483
population studies, 217, 377
prevention, 455
primary biliary cirrhosis, 292
prognosis, 53, 119, 333
progressive, 287
prospective, 13
prospective studies, 77, 217
public health, 171
pulmonary arteriovenous malformations, 255
pulmonary function test, 137
pyridoxine, 223

QT dispersion, 126

randomized controlled trials, 463
reference values, 501
registers, 159
renal insufficiency, 319
research, 1
research ethics, 463
risk factors, 111, 230, 406, 492
ROC curve, 151

sarcoidosis, 33
serum bilirubin, 292
serum lipid transfer proteins, 211
Seven Countries Study, 326
snoring, 13
social factors, 475
socioeconomic, 425
soluble TNF receptor, 33
statistical power, 447
stature, 326
stroke, 287, 475

T vector loop, 126
thrombolysis, 119, 316
thyroid function, 299
time trends, 425
TNF-α, 67
tobacco use, 103
transdermal drug delivery, 357
transitory ischaemic attack, 7
transoesophageal echocardiography, 519
trial participation, 463
triglycerides, 203
type 1 diabetes, 333
type 2 diabetes, 77, 103, 245, 387

unstable coronary artery disease, 151
uraemia, 21
urinary albumin excretion, 483
urinary tract infection, 263
ursodeoxycholic acid, 292

validation study, 397
vasospasm, 319
ventricular repolarization, 126
verotoxin/Shiga-like toxin, 263
vitamin E, 316

weight loss, 245
women, 151